


RevNo	Revision note	Date	Signature	Checked
00	Sketch Only	04/27/2019		



- Material & Finishing:
- Center condutor: Phosphor Bronze, Silver Plating
 - Insulators: PTFE
 - Body : Brass, Ternary alloy Plating
 - Contact Head , Phosphor Bronze, Silver Plating


- Electrical Data:
- Impedance: 50 Ohms
 - Frequency: 0~3GHz
 - VSWR: ≤1.15
 - Proof Voltage : 1500 Veff

PIM:≤-160dBc(2*43dBm)


RoHS Compliant.

Note: No welding Required for Center condutor

ALL DIMENSIONS ARE IN MILLIMETERS AND [INCHES] Unit:mm

 Raynool Technology Co., Ltd.	Title 4.3-10 Female SPP-250-LLPL Cable				
	Drawn by		Ckd by	Appd by	Date 04/27/2019
	Scale 4:1	Sheet 1 of 1	3660642		
			3.660.G640		

THESE DRAWING & SPEC. ARE THE PROPERTY OF Raynool AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT THEIR EXPRESS WRITTEN CONSENT.



UNLESS OTHERWISE NOTED ALL SURFACES FINISHED TO 64/MAX.		
ALL TOLERANCES ARE:	FRACTIONS	
DECIMALS	FRACTIONS	ANGLES
x ± 1.0	±1/64	x' ± 1'
x.x ± 0.5		x'x' ± 0.5"
x.xx ± 0.1		

THESE DRAWING & SPEC. ARE THE PROPERTY OF Raynool AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT THEIR EXPRESS WRITTEN CONSENT.